Serial No.: 10/645,054 Filed: August 21, 2003

Page : 3 of 8

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

- 1. (Original) A nutraceutical composition comprising extracts of at least three or four herbs, wherein the first herb, which is optional, is *Hedysarum polybotrys Hand.-Mazz*. or *Astragalus membranceus Bge.*, the second herb is *Atractylodes macrocephala kodiz*, the third herb is *Ledebouriella seseloides (hoffm.) Wolff*, and the fourth herb is an anti-allergy herb.
- 2. (Original) The nutraceutical composition of claim 1, wherein the fourth herb is Centipeda minimal (L.) A. Br. Et Aschers.
- 3. (Currently Amended) The nutraceutical composition of claim 2, wherein the weight ratio of the extracts of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
- 4. (Currently Amended) The nutraceutical composition of claim 2, wherein the nutraceutical composition contains extracts of only four herbs, i.e., the first, second, third, and fourth herbs; or extracts of only three herbs, i.e., the second, third, and fourth herbs.
- 5. (Currently Amended) The nutraceutical composition of claim 4, wherein the weight ratio of the extracts of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
- 6. (Original) The nutraceutical composition of claim 1, wherein the fourth herb is *Magnolia biondii Pamp*.

Serial No.: 10/645,054 Filed: August 21, 2003

Page : 4 of 8

7. (Currently Amended) The nutraceutical composition of claim 6, wherein the weight ratio of the extracts of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).

- 8. (Original) The nutraceutical composition of claim 6, wherein the nutraceutical composition contains extracts of only four herbs, i.e., the first, second, third, and fourth herbs; or extracts of only three herbs, i.e., the second, third, and fourth herbs.
- 9. (Currently Amended) The nutraceutical composition of claim 8, wherein the weight ratio of the extracts of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
- 10. (Original) The nutraceutical composition of claim 1, wherein the nutraceutical composition contains extracts of only four herbs, i.e., the first, second, third, and fourth herbs; or extracts of only three herbs, i.e., the second, third, and fourth herbs.
- 11. (Currently Amended) The nutraceutical composition of claim 10, wherein the weight ratio of the extracts of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5).
- 12. (Withdrawn) A method of treating a disorder related to excessive secretion of histamine, comprising administering to a subject in need thereof extracts of at least three or four herbs, wherein the first herb, which is optional, is *Hedysarum polybotrys Hand.-Mazz*. or *Astragalus membranceus Bge.*, the second herb is *Atractylodes macrocephala kodiz.*, and the third herb is *Ledebouriella seseloides (hoffm.) Wolff*, and the fourth herb is an anti-allergy herb.
- 13. (Withdrawn) The method of claim 12, wherein the fourth herb is Centipeda minimal (L.) A. Br. Et Aschers or Magnolia biondii Pamp.

Serial No.: 10/645,054 Filed: August 21, 2003

Page : 5 of 8

14. (Withdrawn) The method of claim 13, wherein the disorder is allergic rhinitis, asthma, or eczyma.

- 15. (Withdrawn) The method of claim 14, wherein the disorder is allergic rhinitis.
- 16. (Withdrawn) The method of claim 13, wherein the weight ratio of <u>the extracts of</u> the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
- 17. (Withdrawn) The method of claim 16, wherein the disorder is allergic rhinitis, asthma, or eczyma.
 - 18. (Withdrawn) The method of claim 17, wherein the disorder is allergic rhinitis.
- 19. (Withdrawn) The method of claim 13, wherein the method includes administering extracts of only four herbs, i.e., the first, second, third, and fourth herbs; or extracts of only three herbs, i.e., the second, third, and fourth herbs.
- 20. (Withdrawn) The method of claim 19, wherein the weight ratio of <u>the extracts of</u> the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
- 21. (Withdrawn) The method of claim 20, wherein the disorder is allergic rhinitis, asthma, or eczyma.
 - 22. (Withdrawn) The method of claim 21, wherein the disorder is allergic rhinitis.
- 23. (Withdrawn) The method of claim 12, wherein the disorder is allergic rhinitis, asthma, or eczyma.
 - 24. (Withdrawn) The method of claim 23, wherein the disorder is allergic rhinitis.

Serial No.: 10/645,054 Filed: August 21, 2003

Page : 6 of 8

25. (Withdrawn) The method of claim 12, wherein the method includes administering extracts of only four herbs, i.e., the first, second, third, and fourth herbs; or extracts of only three herbs, i.e., the second, third, and fourth herbs.

- 26. (Withdrawn) The method of claim 25, wherein the weight ratio of the extracts of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
- 27. (Withdrawn) A method of treating a disorder related to excessive secretion of interleukin-4, comprising administering to a subject in need thereof extracts of at least three or four herbs, wherein the first herb, which is optional, is *Hedysarum polybotrys Hand.-Mazz*. or *Astragalus membranceus Bge*., the second herb is *Atractylodes macrocephala kodiz*., and the third herb is *Ledebouriella seseloides (hoffm.) Wolff*, and the fourth herb is an anti-allergy herb.
- 28. (Withdrawn) The method of claim 27, wherein the fourth herb is Centipeda minimal (L.) A. Br. Et Aschers or Magnolia biondii Pamp.
- 29. (Withdrawn) The method of claim 28, wherein the disorder is allergic rhinitis, asthma, or eczyma.
 - 30. (Withdrawn) The method of claim 29, wherein the disorder is allergic rhinitis.
- 31. (Withdrawn) The method of claim 28, wherein the weight ratio of the extracts of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
- 32. (Withdrawn) The method of claim 31, wherein the disorder is allergic rhinitis, asthma, or eczyma.
 - 33. (Withdrawn) The method of claim 32, wherein the disorder is allergic rhinitis.

Serial No.: 10/645,054 Filed: August 21, 2003

Page : 7 of 8

34. (Withdrawn) The method of claim 28, wherein the method includes administering extracts of only four herbs, i.e., the first, second, third, and fourth herbs; or extracts of only three herbs, i.e., the second, third, and fourth herbs.

- 35. (Withdrawn) The method of claim 34, wherein the weight ratio of <u>the extracts of</u> the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
- 36. (Withdrawn) The method of claim 35, wherein the disorder is allergic rhinitis, asthma, or eczyma.
 - 37. (Withdrawn) The method of claim 36, wherein the disorder is allergic rhinitis.
- 38. (Withdrawn) The method of claim 27, wherein the disorder is allergic rhinitis, asthma, or eczyma.
 - 39. (Withdrawn) The method of claim 38, wherein the disorder is allergic rhinitis.
- 40. (Withdrawn) The method of claim 27, wherein the method includes administering extracts of only four herbs, i.e., the first, second, third, and fourth herbs; or extracts of only three herbs, i.e., the second, third, and fourth herbs.
- 41. (Withdrawn) The method of claim 40, wherein the weight ratio of the extracts of the first, second, third, and fourth herbs is (0-1.5):(0.5-1.5):(0.5-1.5):(0.5-1.5).
- 42. (New) The nutraceutical composition of claim 1, wherein the fourth herb is *Flos Magnoliae*.
 - 43. (New) The method of claim 12, wherein the fourth herb is Flos Magnoliae.
 - 44. (New) The method of claim 27, wherein the fourth herb is Flos Magnoliae.